

Stahlblanke Rauchrohre

Preisgruppe 16-3

Stahlblanke Rauchrohre, Rauchrohrbogen und Zubehör nach DIN 1298 zylindrisch, eingezogen, Wandstärke 2,0 mm (DN 80 = 1,6 mm)



Rohre

Artikel-Nr.		071 120 ...	071 130 ...	071 150 ...
	DN	120	130	150
	Ø mm innen	120	130	150
	Ø mm aussen	124	134	154
...		€	€	€
200	2.000 mm lang		70,20	72,40
150	1.500 mm lang			65,60
100	1.000 mm lang	32,60	32,60	34,70
075	750 mm lang	32,00	32,00	32,90
050	500 mm lang	20,50	20,50	21,10
033	330 mm lang	16,80	16,80	17,70
025	250 mm lang	14,50	14,50	14,70
015	150 mm lang	12,10	12,10	12,30



Bogen geschweißt ohne Tür

Artikel-Nr.		081 120 ...	081 130 ...	081 150 ...
	DN	120	130	150
	Ø mm innen	120	130	150
	Ø mm aussen	124	134	154
...		€	€	€
090	90 Grad	29,90	29,90	30,70
045	45 Grad	29,90	29,90	30,70



Bogen geschweißt mit Tür und hitzebeständiger Dichtung

Artikel-Nr.		085 120 ...	085 130 ...	085 150 ...
	DN	120	130	150
	Ø mm innen	120	130	150
	Ø mm aussen	124	134	154
...		€	€	€
090	90 Grad	29,90	29,90	30,70
045	45 Grad	29,90	29,90	30,70



Bogen verstellbar 0-45°, ohne Tür

Artikel-Nr.			091 120 ...	091 130 ...	091 150 ...
	DN		120	130	150
	Ø mm innen		120	130	150
	Ø mm aussen		124	134	154
...			€	€	€
045			34,90	34,90	35,70



Bogen verstellbar 0-90°, mit Tür und hitzebeständiger Dichtung

Artikel-Nr.			095 120 ...	095 130 ...	095 150 ...
	DN		120	130	150
	Ø mm innen		120	130	150
	Ø mm aussen		124	134	154
...			€	€	€
090			34,90	34,90	35,70

Stahlblanke Rauchrohre, Rauchrohrbogen und Zubehör nach DIN 1298 zylindrisch, eingezogen, Wandstärke 2,0 mm (DN 80 = 1,6 mm)

Rohre

Artikel-Nr.		071 160 ...	071 180 ...	071 200 ...	071 225 ...	071 250 ...	071 300 ...
	DN	160	180	200	225	250	300
	Ø mm innen	160	180	200	225	250	300
	Ø mm aussen	164	184	204	229	254	304
...		€	€	€	€	€	€
200	2.000 mm lang		85,60	96,60			
150	1.500 mm lang			86,90			
100	1.000 mm lang	35,70	39,10	43,10	61,40	61,40	76,70
075	750 mm lang	33,90	37,20	40,90			
050	500 mm lang	21,90	23,90	26,20	39,90	39,90	53,60
033	330 mm lang	18,30	19,90				
025	250 mm lang	15,20	16,70	18,30	28,20	28,20	38,60
015	150 mm lang	13,00	13,90	15,70		23,30	



Bogen geschweißt ohne Tür

Artikel-Nr.		081 160 ...	081 180 ...	081 200 ...		081 250 ...	081 300 ...
	DN	160	180	200		250	300
	Ø mm innen	160	180	200		250	300
	Ø mm aussen	164	184	204		254	304
...		€	€	€		€	€
090	90 Grad	32,10	34,40	36,20		115,60	159,70
045	45 Grad	32,10	34,40	36,20		115,60	115,60



Bogen geschweißt mit Tür und hitzebeständiger Dichtung

Artikel-Nr.		085 160 ...	085 180 ...	085 200 ...		085 250 ...	085 300 ...
	DN	160	180	200		250	300
	Ø mm innen	160	180	200		250	300
	Ø mm aussen	164	184	204		254	304
...		€	€	€		€	€
090	90 Grad	32,10	34,40	36,20		115,60	159,70
045	45 Grad	32,10	34,40	36,20		115,60	115,60



Bogen verstellbar 0-45°, ohne Tür

Artikel-Nr.		091 160 ...	091 180 ...	091 200 ...		091 250 ...	091 300 ...
	DN	160	180	200		250	300
	Ø mm innen	160	180	200		250	300
	Ø mm aussen	164	184	204		254	304
...		€	€	€		€	€
045		37,30	38,80	41,90		115,60	115,60



Bogen verstellbar 0-90°, mit Tür und hitzebeständiger Dichtung

Artikel-Nr.		095 160 ...	095 180 ...	095 200 ...	095 225 ...	095 250 ...	095 300 ...
	DN	160	180	200	225	250	300
	Ø mm innen	160	180	200	225	250	300
	Ø mm aussen	164	184	204	229	254	304
...		€	€	€	€	€	€
090		37,30	38,80	41,90	115,60	115,60	159,70



Stahlblanke Rauchrohre

Preisgruppe 16-3

Stahlblanke Rauchrohre, Rauchrohrbogen und Zubehör nach DIN 1298 zylindrisch, eingezogen, Wandstärke 2,0 mm (DN 80 = 1,6 mm)



Bogen verstellbar 0-45°, ohne Tür, Verbindung der Segmente mit Klemmband

Artikel-Nr.				092 120 ...	092 130 ...	092 150 ...
	DN			120	130	150
	Ø mm innen			120	130	150
	Ø mm aussen			124	134	154
...				€	€	€
045	2-teilig			39,70	39,70	40,40



Bogen verstellbar 0-90°, mit Tür und hitzebeständiger Dichtung, Verbindung der Segmente mit Klemmband

Artikel-Nr.				093 120 ...	093 130 ...	093 150 ...
	DN			120	130	150
	Ø mm innen			120	130	150
	Ø mm aussen			124	134	154
...				€	€	€
090	3-teilig			43,40	43,40	44,10



Bogen verstellbar 0-90°, mit Tür und hitzebeständiger Dichtung, Verbindung der Segmente mit Klemmband

Artikel-Nr.				094 120 ...	094 130 ...	094 150 ...
	DN			120	130	150
	Ø mm innen			120	130	150
	Ø mm aussen			124	134	154
...				€	€	€
090	4-teilig			54,90	54,90	56,10



Sprungrohre verstellbar

Artikel-Nr.						050 145 ...	050 150 ...
	DN					145	150
	Ø mm innen					145	150
	Ø mm aussen					149	154
...						€	€
050	Sprung 50 mm					29,10	29,10



Wandfutter einfach, Wandstärke 1,0 mm

Artikel-Nr.		096 080 ...	096 100 ...	096 120 ...	096 130 ...	096 145 ...	096 150 ...
	DN	80	100	120	130	145	150
...		€	€	€	€	€	€
012	120 mm lang	11,50	11,50	10,80	10,80	12,10	12,10
040	400 mm lang			21,10	21,10	22,50	22,50



Wandfutter doppelt, Wandstärke 0,8/0,6 mm, 400 mm lang = 1,0 mm

Artikel-Nr.		097 080 ...	097 100 ...	097 120 ...	097 130 ...	097 145 ...	097 150 ...
	DN	80	100	120	130	145	150
...		€	€	€	€	€	€
012	120 mm lang	26,50	26,50	24,80	24,80	26,50	26,50
040	400 mm lang				30,10	31,10	31,10

Stahlblanke Rauchrohre, Rauchrohrbogen und Zubehör nach DIN 1298 zylindrisch, eingezogen, Wandstärke 2,0 mm (DN 80 = 1,6 mm)

Bogen verstellbar 0-45°, ohne Tür, Verbindung der Segmente mit Klemmband

Artikel-Nr.		092 160 ...	092 180 ...	092 200 ...		092 250 ...	
	DN	160	180	200		250	
	Ø mm innen	160	180	200		250	
	Ø mm aussen	164	184	204		254	
...		€	€	€		€	
045	2-teilig	42,20	43,50	46,60		120,30	



Bogen verstellbar 0-90°, mit Tür und hitzebeständiger Dichtung, Verbindung der Segmente mit Klemmband

Artikel-Nr.		093 160 ...	093 180 ...	093 200 ...		093 250 ...	
	DN	160	180	200		250	
	Ø mm innen	160	180	200		250	
	Ø mm aussen	164	184	204		254	
...		€	€	€		€	
090	3-teilig	45,90	47,00	50,40		122,10	



Bogen verstellbar 0-90°, mit Tür und hitzebeständiger Dichtung, Verbindung der Segmente mit Klemmband

Artikel-Nr.		094 160 ...	094 180 ...	094 200 ...		094 250 ...	
	DN	160	180	200		250	
	Ø mm innen	160	180	200		250	
	Ø mm aussen	164	184	204		254	
...		€	€	€		€	
090	4-teilig	57,60	59,00	62,30		134,00	



Sprungrohre verstellbar

Artikel-Nr.		050 160 ...	050 180 ...	050 200 ...		050 250 ...	
	DN	160	180	200		250	
	Ø mm innen	160	180	200		250	
	Ø mm aussen	164	184	204		254	
...		€	€	€		€	
050	Sprung 50 mm	29,60	30,70	35,30		45,40	



Wandfutter einfach, Wandstärke 1,0 mm

Artikel-Nr.		096 160 ...	096 180 ...	096 200 ...	096 225 ...	096 250 ...	096 300 ...
	DN	160	180	200	225	250	300
...		€	€	€	€	€	€
012	120 mm lang	12,40	13,70	15,00	21,10	21,10	26,90
040	400 mm lang	22,90	24,60	26,80			



Wandfutter doppelt, Wandstärke 0,8/0,6 mm, 400 mm lang = 1,0 mm

Artikel-Nr.		097 160 ...	097 180 ...	097 200 ...		097 250 ...	
	DN	160	180	200		250	
...		€	€	€		€	
012	120 mm lang	28,30	31,40	34,40		48,50	
040	400 mm lang	34,40	35,30	36,70			



Stahlblanke Rauchrohre


Preisgruppe 16-3

Stahlblanke Rauchrohre, Rauchrohrbogen und Zubehör nach DIN 1298 zylindrisch, eingezogen, Wandstärke 2,0 mm (DN 80 = 1,6 mm)



Briden mit Dichtung

Artikel-Nr.				079 122 ...	079 132 ...		079 152 ...
	DN			120	130		150
...				€	€		€
300	Breite: 65 mm			15,80	15,80		16,40



Ersatzreinigungsdeckel (inkl. Dichtung und 2x Hutmutter)

Artikel-Nr.				088 120 ...	088 130 ...	088 145 ...	088 150 ...
	DN			120	130	145	150
...				€	€	€	€
000				9,20	9,20	9,20	9,20

Dichtungssset für Reinigungsöffnungen (bestehend aus 5 Dichtungen)

Artikel-Nr.		070 010 002	070 010 000
	DN	80 - 100	120 - 200
		€	€
		25,40	25,40



Reinigungsdeckel zum nachträglichen Einbau rund

Artikel-Nr.				088 132 ...		088 152 ...
	DN			130		150
...				€		€
850				9,60		9,60

T-Stück (zum Einbau von Zugbegrenzern ZUK der Marke Kutzner + Weber)

Artikel-Nr.					077 025 150		077 026 150
	DN				130		150
					ZUK 150		ZUK 150
					€		€
					66,80		68,10



Reduzierstücke

Artikel-Nr.		078100080	078120100	078130120	078145130	078150120	078150130
	DN	100/080	120/100	130/120	145/130	150/120	150/130
	Ø mm innen/ausen	100/104	120/124	130/134	145/149	150/154	150/154
	Ø mm innen/ausen	76,3/79,5	95,5/99,5	115,5/119,5	125,5/129,5	115,5/119,5	125,5/129,5
		€	€	€	€	€	€
		61,20	65,40	65,40	65,40	65,40	65,40

Stahlblanke Rauchrohre, Rauchrohrbogen und Zubehör nach DIN 1298 zylindrisch, eingezogen, Wandstärke 2,0 mm (DN 80 = 1,6 mm)


Briden mit Dichtung

Artikel-Nr.		079 162 ...	079 182 ...	079 202 ...		079 252 ...	079 302 ...
	DN	160	180	200		250	300
...		€	€	€		€	€
300	Breite: 65 mm	16,50	16,60	17,00		20,60	21,60



Ersatzreinigungsdeckel (inkl. Dichtung und 2x Hutmutter)

Artikel-Nr.		088 160 ...	088 180 ...	088 200 ...		088 250 ...	
	DN	160	180	200		250	
...		€	€	€		€	
000		9,20	9,20	9,20		12,10	



Dichtungsset für Reinigungsöffnungen (bestehend aus 5 Dichtungen)

Artikel-Nr.		070 010 000		070 010 001
	DN	120 - 200		225 - 300
		€		€
		25,40		36,50

Reinigungsdeckel zum nachträglichen Einbau rund

Artikel-Nr.		088 182 ...				
	DN	180				
...		€				
850		9,60				



T-Stück (zum Einbau von Zugbegrenzern ZUK der Marke Kutzner + Weber)

Artikel-Nr.			077 027 180			
	DN		200			
			ZUK 180			
			€			
			78,20			

Reduzierstücke

Artikel-Nr.		078160130	078160145	078160150	078180150	078180160	078200150
	DN	160/130	160/145	160/150	180/150	180/160	200/150
	∅ mm innen/ausen	160/164	160/164	160/164	180/184	180/184	200/204
	∅ mm innen/ausen	125,5/129,5	140,5/144,5	145,5/149,5	145,5/149,5	155,5/159,5	145,5/149,5
		€	€	€	€	€	€
		67,40	67,40	67,40	69,70	69,70	78,20



Reduzierstücke


Artikel-Nr.		078200180	078225200	078250180	078250200	078300200	078300250
	DN	200/180	225/200	250/180	250/200	300/200	300/250
	∅ mm innen/ausen	200/204	225/229	250/254	250/254	300/304	300/304
	∅ mm innen/ausen	175,5/179,5	195,5/199,5	175,5/179,5	195,5/199,5	195,5/199,5	245,5/249,5
		€	€	€	€	€	€
		73,30	74,30	78,20	75,80	83,10	80,70



Stahlblanke Rauchrohre


Preisgruppe 16-3

Stahlblanke Rauchrohre, Rauchrohrbogen und Zubehör nach DIN 1298 zylindrisch, eingezogen, Wandstärke 2,0 mm (DN 80 = 1,6 mm)



Erweiterungsstücke

Artikel-Nr.		078080100	078100120	078120130	078120150	078130150	078150160
	DN	080/100	100/120	120/130	120/150	130/150	150/160
	Ø mm innen/ausen	80,5/82,5	100/104	120/124	120/124	130/134	150/164
	Ø mm innen/ausen	97/99	115,5/119,5	125,5/129,5	145,5/149,5	145,5/149,5	155,5/159,5
		€	€	€	€	€	€
		61,20	65,40	65,40	65,40	65,40	67,40



Rohr- und Innenverbinder

Artikel-Nr.						356 051 ...
	DN					150
...						€
001	l = 100 mm				Nettopreis	9,90

Stahlblanke Rauchrohre, Rauchrohrbogen und Zubehör nach DIN 1298 zylindrisch, eingezogen, Wandstärke 2,0 mm (DN 80 = 1,6 mm)

Erweiterungsstücke

Artikel-Nr.		078150180	078160180	078180200			
	DN	150/180	160/180	180/200			
	Ø mm innen/aussen	150/184	160/164	180/184			
	Ø mm innen/aussen	175,5/179,5	175,5/179,5	195,5/199,5			
		€	€	€			
		69,70	69,70	73,30			



Zugbegrenzer ZUK der Marke Kutzner + Weber

Artikel-Nr.			077 035 130	077 035 150	077 035 180	
	DN		ZUK 130	ZUK 150	ZUK 180	
			€	€	€	
		Nettopreis	62,50	52,10	95,80	

